



Notice of Ex Parte

Marlene H. Dortch, Secretary Federal Communications Commission 445 12th Street SW Washington, DC 20554

Re: Protecting Against National Security Threats to the Communications Supply Chain Through FCC Programs, WC Docket No. 18-89

Dear Ms. Dortch,

On April 21, representatives of Ericsson met by video conference with staff from the Commission's Wireline Competition Bureau to discuss matters relating to replacement of nontrusted equipment in U.S. operators' networks. Representing Ericsson were Anand Akundi, Bill Chotiner, Charles Hamby, Scot Harris, Barry McLaren, Gheorghe Spiride, Loris Zaia, and Jared Carlson. The Wireline Bureau staff on the call were Benjamin Goodwin, Brian Cruikshank, Charlene Goldfield, Justin Faulb, Pam Arluk, and Ryan Palmer. The presentation that was used on the call is appended to this *ex parte* letter.

Gheorghe Spiride provided an provided an overview of the Ericsson's customers who are potentially eligible for assistance in swapping out network equipment. It is a diverse set of companies, serving communities totalling 60 Million users.

Bill Chotiner then provided an overview of Ericsson's hardware, with a focus on what equipment rural operators would likely use when swapping out portions of their infrastructure. He also described different models for swapping equipment based on the size of the operator and potential complicating factors, *e.g.*, towers which are leased and shared with other operators. He also described at a high level Ericsson's general Radio Access Network ("RAN") lifecycle, highlighting that all Ericsson radios introduced since 2015 are software upgradeable to 5G NR.

Mr. Chotiner also discussed Ericsson's involvement in open standards generally and Open Radio Access Network ("O-RAN") technology more specifically. Ericsson is an O-RAN supporter, serving as co-chair of two O-RAN Alliance working groups, and the editor of multiple technical specifications. O-RAN brings opportunities including RAN programmability, software/hardware disaggregation, and open interfaces to enable more flexibility. At the same time, however, it requires adaptation for smaller operators, requiring evolution in areas including system integration, key performance indicator assurance, and addressing increased operational complexities. Additionally, off-the-shelf hardware cannot presently achieve the same performance/cost-level ratio as high-performing telecom network equipment.



Barry McLaren described three different swap methodologies: site-by-site, sector-by-sector, and building a parallel center of radiation ("RAD center") on a tower. Each option varies in complexity, customer impact, and cost.

Anand Akundi described Ericsson's dual-mode 5G Cloud Core and how it allows operators to simultaneously support both 4G LTE and 5G. Ericsson's Cloud Core leverages software containers and microservice architecture to be completely platform agnostic: the core can be run on an operator's private cloud computing architecture or a public cloud.

Finally, Bill Chotiner wrapped up the presentation outlining Ericsson's holistic approach to network security. He also described the growth of fixed wireless access and how many of the network swaps Ericsson has already performed have some fixed wireless services incorporated into their networks.

Ericsson appreciates the difficult task ahead of the Commission. Our technical experts stand ready to aid the Commission as it considers the myriad issues associated with assisting U.S. operators as they swap out equipment from companies deemed to pose a heightened national security risk.

Respectfully submitted,

/s/ Jared M. Carlson
Jared M. Carlson
Vice President,
Government Affairs and Public Policy
Ericsson



Agenda



- Who Is Ericsson Customer Unit Regional Carriers
- > RAN Solutions & Services
- ORAN
- Core Solutions
- Security In Wireless Networks
- Fixed Wireless Access



Regional Connect

The power of community.








Ericsson Regional Carriers Customer Unit

- Dedicated entirely to U.S.-based Tier 2 and Tier 3 carriers
- Serves over 100 Tier 3 regional operators
- Support staff includes more than 450 full time equivalents
- Ericsson Regional Connect community
 - Community of Tier 3 Ericsson customers
 - Mission is to "Connect. Share. Serve" our customers and the communities they operate in
 - Enables regular communication and collaboration between the operators
 - Provides best practices, case studies and industry information on a regular basis
 - Holds in-person and virtual meetings to exchange information and ideas with key operator representatives



Ericsson has customers across the country



Customers include:

- U.S. Cellular
- Tier 3 wireless operators
- Tier 2/3 wireline companies
- Utilities
- Government
- Working with operators to rip and replace
 Chinese equipment

Ericsson's key investments in North America





9,400 North American employees



- Research and Development Centers or Labs
- Manufacturing Facilities and Centers of Excellence

2020-04-21 | Ericsson | Copyright 2020 | Page 6

Established: 1902 in Buffalo, New York NA headquarters: Plano, Texas NA Net Sales: \$6.2 billion USD (FY 2019)

Pledge to America's Workers program. Ericsson commits to creating 50,000 enhanced career opportunities for individuals in U.S. workforce over 5 years.

Ericsson North America Locations

United States	34
Canada	5
Warehouses/Field Services Offices	8

Ericsson R&D Locations


Austin	Radio (BBU), ASIC design		
Boston	Edge Cloud Platform		
Dallas	Virtual Innovation Center		
Montreal	Artificial Intelligence, Edge Cloud		
Ottawa	awa Radio (5G)		
Santa Clara	Artificial intelligence		
Toronto	OSS/BSS		



RAN Solutions & Services

5G Solution Components





Digital BSS:

Real-time charging and billing, digital customer engagement

Management & Orchestration:

Network management, automation and orchestration of nodes, networks and capabilities

5G Access

RAN Compute and baseband, radio, and site

5G Transport:

Fronthaul, backhaul, edge, core

Cloud Core:

Packet core, unified data management & policy

Cloud Communication:

Communication services such as voice, video and messaging

Cloud Infrastructure:


NFV Infrastructure for distributed cloud environments

Network Services

Consulting, deployment, support, operations

Typical Rural Cell Site





2020-04-21 | Ericsson | Copyright 2020 | Page 9

Backhaul Access

TDM Circuit


Ethernet

Fiber


Microwave

Ericsson Radio System





2020-04-21 | Ericsson | Copyright 2020 | Page 10



Ericsson Radio System Baseband RAN Compute













- High capacity
- Multi-standard
- Ready for IoT and 5G



2020-04-21 | Ericsson | Copyright 2020 | Page 12

Regional Connect

Rural Swaps Services Key Considerations (1/2)

Operators preference for minimizing end customer impact

More expensive and longer cycle time to minimize outages (reference swap methodology options slide)

Operators that typically self perform incremental sites will need vendor support to swap out their entire network

> 12 months for operators with large number of sites

Competing for limited resources with industry 5G modernization & merger / new entrant network upgrades

More expensive to secure and retain crews

Cycle time impact due to crew limitations & time to train

Mix of tower sites that are owned / leased and where leased often shared with other operators

Lead time required for site acquisition update, negotiations and approvals

Solution configuration - number of technologies and number of bands per technology

Extended time at site and more complex cut over for multiple bands. More space and structural considerations

Regional Connect

Rural Swaps Services Key Considerations (2/2)

Geographically distributed rural sites, varied roads

Extended drive times and cost for warehouse pick up / return and disposal of equipment

Limited local tower crews

Need to mobilize crews from other markets. Limited accommodation for crews close to rural sites - drive time.

Winter weather and high wind implications

Can lose up to an average of 7 working days per month in winter

Documentation and tracking / process for environmental disposal

Critical to ensure that decommissioned equipment is destroyed and disposed of in a responsible way.

Microwave backhaul required to be changed in some cases

Dependencies on process and scheduling if other customer traffic being carried

Swap Methodology Options



	Sector by Sector	Site by Site	Parallel RAD Center	
Description	Turn down each sector individually while swapping equip.	Turn down entire site while swapping out equip.	Build a new location for equipment on the tower close to old	
Customer impact	$\otimes \otimes \otimes$	$\otimes \otimes \otimes \otimes$	$\otimes \otimes$	
Complexity	* * * *	X X	* * * *	
Swap Type	Hot	Cold, Hot	Hot	
Pros	 Gradual, methodical replacement Low level customer impact Reuse existing facilities (lines, power, etc) if compatible Hot Swap application Less Site Acq activities are needed 	 Faster swap replacement; less labor costs; less Cycle Time Reuse existing facilities (lines, power, etc) if compatible 	 Minimal customer impact Hot Swap Application 	
Cons	 Cycle Time is extended; higher labor costs May not have sufficient space on tower to effect a swap (sector frames) 	 Higher level of customer impact; need to have neighboring/overlapping coverage Cold Swap application More Site Acq activities are needed 	 Higher labor costs; long cycle time Expect structural mods Will need additional lines and new sector frames Site Acq activities become more complex 	

Ericsson RAN Lifecycle

—RAN Software Lifecycle Timelines

- Generally Available (GA) SW release per quarter for each RAN technology
- SW GA to SW End Of Support (EOS) 11 Quarters
- Backwards compatibility for 6 prior quarterly releases

-Hardware

- Radios typically supported until such time that technology deems them obsolete
- Baseband lifecycle is typically > 10 years from being introduced until end of support
 - e.g. DUS41 was introduced in October 2012 and will go end of support after 2025

Why Ericsson





Key portfolio enablers for best performance & efficient evolution to 5G


5G Time to market

Only global vendor



Broad portfolio

Build with precision



Performance

e2e design to enable best performance




Technology Leadership

Ecosystem driver to push the technology boundaries



Ericsson Spectrum Sharing

Wide area 5G coverage quickly realized



2020-04-21 | Ericsson | Copyright 2020 | Page 17

5G Ready radios

5M radios ready for 5G



5G Ready baseband


Enable 5G with SW upgrade



with E5 interconnect

Inter-band carrier agg.

Maximize coverage and SE of TDD bands





ORAN



Ericsson Participation in O-RAN





- Co-chairs:
 - WG2 and WG5
- Editors:
 - A1 Specification
 - Architecture Description
 - O2 Interface
- Key contributions:
 - A1 interface
 - Architecture Description
 - NFVi platform requirements
 - Use Cases whitepaper
 - WG5 control plane editorship



- Member of ToC (Technical oversight Committee)
- Non-RT RIC LF OSC project
 - —PTL (Project Technical Lead) + 9 developers
- 'A1 Adapter' in Amber release
 - Full functionality by June, 2020



- 50+ developers
- Member of TSC
- Active participation in 5+ subcommittees
- Main code contributors in 7 projects
- 4th in overall GIT commits

Regional Connect

Summary

- O-RAN brings opportunities like programmability towards RAN, software/hardware disaggregation and open interfaces to enable more flexibility
- O-RAN must evolve to meet smaller operators' needs
 - System Integration, KPI assurance, SLA, Accountability may result in higher TCO due to increased OPEX
 - Off the shelf hardware initially will not meet the same performance/cost ratio level that native networks achieve
- Ericsson is supportive of O-RAN
 - Ericsson is an active member and contributor to O-RAN alliance
 - Ericsson holds co-chair positions in WG2 and WG5 and editorships of various technical specifications
- Ericsson is firmly committed to bring together all relevant players and alliances in the industry to innovate at global scale




Core Solutions




Ericsson's dual-mode 5G Cloud Core






Manage growth with CAPEX efficiency



Reduce OPEX and operational inefficiencies



Grow revenue with agility and speed

Regional Connect



CAPEX OPEX

REVENUE


Inside Ericsson's dual-mode 5G Cloud Core

Network Functions (NF) grouped per network services, allowing deployment flexibility and a smooth evolution to 5GC

- Cloud native 5GC NFs microservice based
- Service Based Architecture (SBA)
- EPC NFs re-architected into cloud native with secured feature parity
- Fully interworking with legacy networks and NFs

SBA Benefits

- **Enables more reusability**
- Simpler extensibility due to light-weight SBI
- Openness / exposure without protocol conversions



Ericsson Cloud Core



Providing LTE/5G use cases for private networks already today
Market leading EPC feature set
With pooling and load sharing for geo redundancy
OpenStack Cloud compliant, for deployment flexibility
Network slice instances with their own lifecycle and deployment

Network-in-a-box Compact deployment Data Center

I Data Center


Deployment flexibility from 1000s to Millions of Devices

Regional Connect




Cloud Native and microservice architecture

Following Cloud Native best practices:



Leveraging dozens of microservices that are common across whole Ericsson portfolio.



CI/CD with LCM of individual microservices improves software quality, minimizes risks, reduces costs and enables a faster TTM.

Learn more about Ericsson Cloud Native Applications *here*



Digital Services Portfolio overview

	SA OSS	SA Commu	nication Services	SA Po	icket Core	SA CNFV	SA BSS	Digital Fabric
Automati	c Network Operations	Cloud Co	ommunication	Cloud F	Packet Core	Cloud Infrastructure	Digital BSS	Digital Fabric
Orchestration	Analytics & Ass	Cloud VoLTE & EC	Mobile Switching	Cloud Packet Core	Cloud UDM and Policy	BSP 8100	BSCS	CNaaS
DO	CENX	AFG	Compact Mob. Switch.	AAT	CCDM	CEE	CBiO/DMP	EAaaS
EAI	EEA	Cloud VoLTE	СТС	Enterprice Core	CCPC	Cloud SDN	CS	eSIMSIMaaS
ECDE	EEM	Compact Core	High Cap. Mob. Switch.	EPG	CCRC	ECCD	ECM	ENMaaS
EDA	ENIQ-S	CSCF	M-MGw	Massiive IOT PC	CCSM	Edge NFVI	EMM	
EDR	MPS	EME	MSC-S	MSP	CUDD	HDS HW	EOC	
EO	ТМА	Fast VoLTE Launch	Enterprise com.	PCC	CUDB EIR-FE	NFVi Solution	EWP	
Network Mgmt		MIO	DSE	PCG	FNR	SDI	SNMP	
ENM		MRS	ECAS	SGSN-MME	HLR-FE	SDS	Yield Optimazation	
омвѕ		MTAS	ECCC	vEPC	HSS-FE	Site Solutions	Customer &Partner	
SON OM		NGIN	SES	WMG	Identity Manager		DXP	
		SBC	SNA	Cloud Netw. Exposure	IPWorks			
		SBG	VPN	CCES	UPG			
		vMRF	VUC	ECE	vSAPC			
		Cloud Signaling	Regulatory					
		ESC	LI-IMS					
		IP-STP	LMISF					

Why Ericsson Cloud Core



Dual mode

- One Software System for (5G) EPC & 5GC
- Flexible Deployment Models
- Simultaneous support for LTE, NR-NSA & NR-SA



Future-proof

- Cloud-native platform
- VNF lifecycle automation
- CI/CD support

Orchestration			
(5G) EPC	5GC		
Cloud-native Platform			

Packet Core

- One common UP for EPC & 5GC
- High performance UP
- CUPS with independent UP/CP scaling
- "Any device, any access"



Unified Data Management & Policy

- Data storage for all access types (2G-5G)
- Policy mgmt. for users & slices
- Network exposure with flexible SBA workflows






Security In Wireless Networks



Networks must be secure by design.



Ericsson's holistic approach across technology and services ensures security that is built in from the start, across supply chain, s/w & h/w development, testing, implementation and operation.



All of our software is scanned, verified, signed and distributed centrally from Sweden, ensuring tight control over our Software Development Life Cycle and supply chain.

29

Security Assurance @ Ericsson





Real World Networks

U.S. Industry Activities

- DHS ICT Supply Chain Risk Management Task Force
- Communications Sector **Coordinating Council**
- USTelecom, CSDE
- CTIA (CyberSecurity Working Group)
- CSRIC and ATIS groups
- NSTAC, NSIE, NTIA, NIST, DoD, FCC

Operations

- Secure operational procedures, e.g. segregation of duties, use of least privilege and logging
- Management of security functions, vulnerability mamt, and detection of attacks
- Response and recovery after breach

Deployment process

- Solid network design with security and resilience in mind
- Operator specific configuration of security parameters, hardening

Vendor product development process

- Secure hardware and software components
- Secure development processes
- Version control and secure software update

Telecommunications standardization process

Secure protocols, algorithms, storage

Ericsson is committed to ensuring the integrity of our supply chain and security of our products; risk management is a key part of our end to end lifecycle process.



Why Fixed Wireless Access now?



FWA momentum growing in every Generation; Accelerating with LTE-Advanced & 5G

Broadband demand

New spectrum

Network technology advances


Global ecosystem

Government investment

New revenue opportunities

2020-04-21 | Ericsson | Copyright 2020 | Page 32

Fixed wireless business models



Outdoor LTE CPE provides better business case compared to Indoor

Taking advantage of FWA opportunities Synergies with Wireline



Operator opportunities

Increasing competitive pressures for broadband services up to 100Mbps

Higher deployment cost per Mbps for fiber

High wireline churn due to long upgrade deployment cycles

Generate revenue from new sources

How wireless supports

New LTE-Adv/5G technologies enable fiber-like speeds

Fixed wireless reduces the cost per home passed in most markets

Time to Deployment is faster reducing churn and decreasing Time to Revenue

Enables home/small business broadband service offerings

Time is right to take advantage of fixed wireless opportunity



www.ericsson.com/regionalconnect